**NOTE: The light level specifications are for a new chamber.
Light level will vary with temperature and measured 6" from the lights.
Humidity: accuracy @ 20°C is ± 2% between 0% to 90% RH accuracy @ 20°C is ±3% between 90% to 100% RH
Accuracy will be reduced by ±.04% RH per degree when temperature moves from 20°C

Daily Rates

		2023/2024	2024/2025	2025/2026
Model E8H	2-62			
Height 48 Inches	2-64			
Lighting Fluorescent 50,000 lux	2-65	\$6.31	\$6.63	\$6.96
RH 85% Lights on	2-66			
95% Lights off to 30°C	2-67			
Control ± 3%				
Temp 4 to 45°C Lights off				
10 to 45°C Lights on				
Control ± 0.5°C				
Area 8ft ²				
Height 72 inches	2-51			
Temp 0 to 45°C Lights off	2-52	\$6.31	\$6.63	\$6.96
5 to 45°C Lights on	2-69			
Control $\pm 0.5^{\circ}$ C	2-70			
	2-80			

Model PGR15	2-01				
Height 58 Inches	2-02				
Lighting Fluorescent 84,000 lux	2-03		\$10.11	\$10.62	\$11.15
RH 85% Lights on	2-04				
95% Lights off to 30°C	2-05				
Control ± 3%	2-06				
	2-07				
Temp 4 to 45°C Lights off	2-08				
10 to 45°C Lights on	2-10				
Control ± 0.5°C	2-25				
Area 15ft ²					
Temp 0 to 45°C Lights off	2-09	2-14			
5 to 45°C Lights on	2-11	2-15	\$10.11	\$10.62	\$11.15
Control ± 0.5°C	2-12	2-16			
	2-13				
Height 72 Inches	2-26				
Lighting Metal Halide/High Pressure Sodium 100,000 lux	2-27		\$10.11	\$10.62	\$11.15
	2-28				
Height 72 Inches	2-17				
Temp 0 to 45°C Lights off	2-18		\$10.11	\$10.62	\$11.15
5 to 45°C Lights on	2-19				
Control ± 0.5°C	2-20				
	2-21				
	2-22				
	2-23				
	2-24				

Model PGW36	2-40			
Height 80 Inches	2-41			
Lighting Fluorescent 81,500 lux	2-42	\$18.90	\$19.85	\$20.84
RH 85% Lights on		<i><i><i>ϕ</i></i>¹⁰¹⁰⁰</i>	<i><i>(</i></i>)	\$20104
95% Lights off to 30°C				
Control $\pm 3\%$				
CONTOLE 3%				
Temp 4 to 45°C Lights off				
10 to 45°C Lights on				
Control $\pm 0.5^{\circ}$ C				
Area 36ft ²				
Radio-isotope	2-81	• /• ••	A40.00	AAC A
	2-82	\$18.90	\$19.85	\$20.84
	2-83			
	2-84			
Temp 0 to 45°C Lights off	2-63			
5 to 45°C Lights on	2-68	\$18.90	\$19.85	\$20.84
Control ±0.5°C	2-73	•	· · · ·	•
Height 06 Inches	2-74			
Height 96 Inches		¢10.00	\$40.0F	*•••••••••••••
Temp 0 to 45°C Lights off	2-75	\$18.90	\$19.85	\$20.84
5 to 45°C Lights on	2-78			
Control ± 0.5°C				
Height 96 Inches	2-79			
Lighting Metal Halide/High Pressure Sodium 112,500 lux		\$22.68	\$23.81	\$25.00
Height 96 Inches	2-72			
Temp -10 to 45°C Lights off	2-76	\$22.68	\$23.81	\$25.00
-5 to 45°C Lights on	2-77			
Control ± 0.5°C	2			
Dual Evaporator				
(lights and fans remain on during defrost cycles)				
Height 96 Inches	2-71			
Lighting Metal Halide/High Pressure Sodium 112,500 lux		\$22.68	\$23.81	\$25.00
Temp -10 to 45°C Lights off				
-5 to 45°C Lights on				
Control $\pm 0.5^{\circ}$ C				
Dual Evaporator				
(lights and fans remain on during defrost cycles)				
			L	1

Model PGV36	2-53			
Height 80 Inches	2-54			
Lighting Fluorescent 77,500 lux	2-55	\$18.90	\$19.85	\$20.84
RH 85% Lights on	2-87	·		
95% Lights off to 30°C				
Control ± 3%				
Temp 4 to 45°C Lights off				
10 to 45°C Lights on				
Control ±0.5°C				
Area 36ft*				
Lighting M10 Fluorescent (Extra Lamps) 107,000 Lux	2-47			
Chemical Drier Dehumidification	2-48	\$22.68	\$23.81	\$25.00
to obtain humidity as low as 25% @ 15°C	2-50			
Lighting Metal Halide/High Pressure Sodium 107,000 lux	2-56			
	2-57	\$22.68	\$23.81	\$25.00
Height 96 Inches	2-33			
Temp -10 to 45°C Lights off	2-34	\$22.68	\$23.81	\$25.00
-5 to 45°C Lights on	2-49			
Control ±0.5°C	2-86			

Model GR48	1-11	1-28			
Height 80 Inches	1-12	1-29			
Lighting Fluorescent 30,000 lux	1-13	1-30	\$16.15	\$16.96	\$17.81
RH Ambient	1-14	1-31			
	1-15	1-32			
	1-16	1-40			
Temp 10 to 30°C Lights off	1-17	1-41			
15 to 35°C Lights on	1-18	1-42			
Control ±0.5°C	1-19	1-43			
	1-20	1-44			
Area 48ft ²	1-21	1-45			
	1-22	1-46			
	1-25	1-47			
	1-26	1-48			
	1-27	1-49			
		2-32			
Height 96 Inches	1-52	1-54	\$16.15	\$16.96	\$17.81
Lighting Metal Halide/High Pressure Sodium 50,000 lux	1-53	1-55			

Model GR118	1-01	1-08			
Height 80 Inches Area 118ft2	1-02	1-09			
Lighting Fluorescent 30,000 lux	1-03	1-10	\$25.21	\$26.47	\$27.79
RH Ambient	1-04				
Temp 10 to 30°C Lights off	1-05				
15 to 35°C Lights on	1-06				
Control ±0.5°C	1-07				

Model GR178	1-33	2-46			
Height 80 Inches	1-34	2-88			
Lighting Fluorescent 30,000 lux	1-35	2-89	\$35.31	\$37.08	\$38.93
RH Ambient	1-36	2-90			
	1-37				
Temp 10 to 30°C Lights off	1-38				
15 to 35°C Lights on	2-37				
Control ± 0.5°C	2-38				
	2-39				
Area 178ft ²	2-43				
	2-44				
	2-45				

Model Freezers C1012	2-58			
Height 8ft 6 inches	2-59			
Lighting Fluorescent 700lux @ 20°C Manual	2-60	\$15.13	\$15.89	\$16.68
RH 10 to 85% @ 25°C (Dry Steam Humidifier)	2-61			
Control ± 0.5%				
Chemical Drier Dehumidifier				
Temp -40 to 25°C				
Control ± 0.5°C				
Area 10m ²				

Model C809	1-59			
Lighting Fluorescent/Incandescent RH Ambient		\$15.13	\$15.89	\$16.68
Temp -5 to 30°C				

Model G1000	4-01			
	4-02			
Lighting Fluorescent	4-03	\$6.31	\$6.63	\$6.96
RH 55% ~ 85% (@ 15 ~ 45°C)	4-04			
	4-05			
Temp 0 to 50°C Lamp off	4-06			
10 to 50°C Lamp on	4-07			
Control ± 0.3°C	4-08			
	4-09			
Area 2.74ft ²	4-10			

Model BDW160				
Lighting Metal Halide/High Pressure Sodium				
RH Ambient	2-91	\$67.12	\$70.48	\$74.00
Temp 10 to 30°C Lights off				
15 to 35°C Lights on				
Control ±0.5°C				
Area 160ft ²				

Model BDW80	1-60			
Lighting Metal Halide/High Pressure Sodium	2-31			
RH Ambient		\$33.56	\$35.24	\$37.00
Temp 10 to 30°C Lights off				
15 to 35°C Lights on				
Control ±0.5°C				
Area 80ft ²				
Model GR48 New HID	1-23			
Lighting Metal Halide/High Pressure Sodium	1-25			
RH Ambient		\$21.98	\$23.08	\$24.23
KH Ambient		φ21.30	φ 2 3.00	φ24.2 3
Temp 10 to 30°C Lights off				
15 to 35°C Lights on				
Control ±0.5°C				
Area 48ft ²				